


?

tonnerre





```

%! reencsmalldict 12 dict def /ReEncodeSmall [ reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname
exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FID ne } dup /Encoding
exch { exch dup length array copy newfont 3 1 roll put } / exch newfont 3 1 roll put } /jelse } forall newfont /FontName n
ewfontname put newcodesandnames aload pop newcodesandnames length 2 div } newfont /Encoding get 3 1 roll put } repeat newfontnam
e newfont def /newfont pop end ] def /quotevec [ 86350 /cauteu 86351 /egrave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Tim
es-Bold /Times-Bold quotevec ReEncodeSmall /TM 378 def /BM 0 def /LM 0 def /RM 288 def /code {1} def /SetUp [ 214 231 75 translate -
85 .85 scale .01 setlinewidth ] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline
[ currentpoint 4.8 sub exch pop LM exch moveto ] def /fillNec [ currentpoint pop RM gt [newline] if ] def /done? [ currentpoint exch pop B
M lt ] def /fillpage [ /strg exch def [ /pop pop nilNec ] strg show done? ] def /loop [ /center /centerwidth [RM LM sub] def /center [ newp
ath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke ] def /RoundedBox
newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 2
96 -9 5 arcto 4 /pop /repeat closepath stroke ] def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter [TM WordNumber div] de
f /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp RoundedBox
/WordNumber [1 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 sc
alefont setfont currentheight (sonnerre) center showpage SetUp RoundedBox showpage SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter [TM WordNumber div] def /currentheigh
t [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (Qu'est) center currentheight heightcenter sub (ce) cen
ter currentheight heightcenter heightcenter add sub (qu'is) center currentheight heightcenter heightcenter add add sub (save
ni) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumb
er [2 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfo
nt currentheight (de) center currentheight heightcenter sub (l'amour) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter [TM WordNumber div] def /currentheigh
t [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (e) center currentheight heightcenter sub (qu'est) cent
er currentheight heightcenter heightcenter add sub (ce) center curr heightcenter heightcenter add add sub (qu'is) c
enter currentheight heightcenter heightcenter heightcenter add add sub (peuvent) center currentheight heightcenter height
center heightcenter heightcenter add add add add sub (André?) center showpage SetUp RoundedBox /BoxPath clip /Tim
es-Italic findfont 5.2 scalefont setfont LM TM moveto code fill /WordNumber [6 1 add] def /heightcenter [TM WordNumber div] def /c
urrentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (S'ils) center currentheight heightcenter su
b (ne) center currentheight heightcenter heightcenter add sub (compréhension) center currentheight heightcenter heightcenter add
add sub (pas) center currentheight heightcenter heightcenter heightcenter add add add sub (la) center currentheight heightc
enter heightcenter heightcenter heightcenter add add add add sub (poésie) center showpage SetUp RoundedBox /BoxPath c
lip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter [TM WordNumber d
iv] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (s'ils) center currentheight heightc
enter sub (ne) center currentheight heightcenter heightcenter add sub (sentent) center currentheight heightcenter heightcenter add
add add sub (pas) center currentheight heightcenter heightcenter heightcenter add add add sub (la) center currentheight h
eightcenter heightcenter heightcenter heightcenter add add add add sub (musique...) center showpage SetUp RoundedBox /BoxP
ath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter [TM WordNumb
er div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (qu'est) center currentheight h
eightcenter sub (ce) center currentheight heightcenter heightcenter add sub (qu'is) center currentheight heightcenter heightcenter add
add add sub (peuvent) center currentheight heightcenter heightcenter heightcenter add add add sub (comprendre) cente
r showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [3 1 a
dd] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont curren
theight (de) center currentheight heightcenter sub (cette) center currentheight heightcenter heightcenter add sub (passion) center showpag
e SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /he
ightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (en
) center currentheight heightcenter sub (comparaison) center currentheight heightcenter heightcenter add sub (avec) center currentheight
heightcenter heightcenter heightcenter add add sub (laquelle) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2
scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM h
eightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (la) center currentheight heightcenter sub (rose) center curren
theight heightcenter heightcenter add sub (es) center currentheight heightcenter heightcenter heightcenter add add sub (grosière) center
showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 ad
d] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont curren
theight (et) center currentheight heightcenter sub (le) center currentheight heightcenter add sub (parfum) center currentheight
heightcenter heightcenter add add sub (es) center currentheight heightcenter heightcenter heightcenter add add
add sub (violette) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fill
page /WordNumber [2 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont
30 scalefont setfont currentheight (an) center currentheight heightcenter sub (sonnerre) center showpage SetUp RoundedBox /BoxPath clip
/Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [1 1 add] def /heightcenter [TM WordNumber div]
def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp Rounde
dBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage showpage SetUp RoundedBox /BoxPath clip /Time
s-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /newpath /heightcenter [TM WordNumber d
iv] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 33 scalefont setfont currentheight (texte;) center /Times-Bold findfont
26 scalefont setfont currentheight heightcenter sub (CAID AD) center /Times-Bold findfont 33 scalefont setfont currentheight heightcent
er heightcenter add sub (livre;) center /Times-Bold findfont 21 scalefont setfont currentheight heightcenter heightcenter add add
sub (HEAL ORDER) center currentheight heightcenter heightcenter heightcenter heightcenter add add add sub (ELNIE RUSSELL) cente
r currentheight heightcenter heightcenter heightcenter heightcenter heightcenter add add add add sub (JEFFREY HARRINGTON) center
showpage SetUp RoundedBox showpage %! reencsmalldict 12 dict def /ReEncodeSmall [ reencsmalldict begin /newcodesandnames exch
def /newfontname exch def /basefontname exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefo
ndict { exch dup /FID ne } dup /Encoding exch { exch dup length array copy newfont 3 1 roll put } / exch newfont 3 1 roll put } /jelse }
forall newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div } newfont /Enco
ding get 3 1 roll put } repeat newfontname newfont def /newfont pop end ] def /quotevec [ 86350 /cauteu 86351 /egrave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /TM 378 def /BM 0 def /LM 0 def /RM 288 def /code {1} def /SetUp [ 214 231 75 translate -85 .85 scale .01 setlinewidth ] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline [ currentpoint 4.8 sub exch pop LM exch moveto ] def /fillNec [ currentpoint pop RM gt [newline] if ] def /done? [ currentpoint exch pop BM lt ] def /fillpage [ /strg exch def [ /pop pop nilNec ] strg show done? ] def /loop [ /center /centerwidth [RM LM sub] def /center [ newpath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke ] def /RoundedBox newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke ] def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM height
```

Font definition code for a font named 'FontName'. The code includes various settings for font encoding, character sets, and glyph definitions. It starts with a comment line: '%/ reencsmalldict 12 dict def /ReEncodeSmall [ reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FDID ne } dup /Encoding eq { exch dup length array copy /newfont 3 1 roll put } { exch /newfont 3 1 roll put } ifelse } pop pop } ifelse } forall /newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div { newfont /Encoding get 3 1 roll put } repeat newcodesandnames e newfont def newfont pop end } def /quotevec [ 86350 /caacute 86351 /egrave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /Times 378 def /BM 0 def /LM 0 def /RM 288 def /code { (1) } def /SetUp { 214 231.75 translate .85 .85 scale .01 setlinewidth } def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline { currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if def /done? { currentpoint exch pop BM lt } def /fillpage { /strg exch def [ /pop pop nilNec ] strg show done? /text if /loop } def /centerwidth { RM LM sub } def /center { /newpath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto } def /chappath { /strg exch def /stroke fill /stroke stroke } def /RoundBox /newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 -9 296 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber { /WordNumber { 1 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (Qu) est center currentheight heightcenter add add sub (qu) est center currentheight heightcenter add add sub (pevent) center currentheight heightcenter heightcenter add add sub (comprendre?) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 5 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (S) is center currentheight heightcenter add add sub (pas) center currentheight heightcenter heightcenter add add sub (la) center currentheight heightcenter add add sub (poesie) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 6 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (s) is center currentheight heightcenter add add sub (musique.) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 5 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (en) center currentheight heightcenter add add sub (passion) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 14 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (en) center currentheight heightcenter add add sub (comprendre) center currentheight heightcenter add add sub (des) center currentheight heightcenter heightcenter add add sub (violett) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 2 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (an) center /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 1 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (s) is center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 6 1 add } def /newpath /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 33 scalefont setfont currentheight (texte) center /Times-Bold findfont 26 scalefont setfont currentheight heightcenter sub (CAD AL) center /Times-Bold findfont 33 scalefont setfont currentheight heightcenter add add sub (livre:) center /Times-Bold findfont 21 scalefont setfont currentheight heightcenter heightcenter add add sub (HEAL ORDER) center currentheight heightcenter heightcenter add add sub (ELINE RUSSELL) center currentheight heightcenter center showpage SetUp RoundedBox /WordNumber { 1 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (?) center showpage SetUp RoundedBox /WordNumber { 1 1 add } def /heightcenter { TM WordNumber div } def /currentheight { TM height























